

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6555	accumulat\$ AND work AND ("726".clas. OR "713".clas. OR "380".clas. OR "705".clas.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 09:56
L2	952	proof AND accumulat\$ AND work AND ("726".clas. OR "713".clas. OR "380".clas. OR "705".clas.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 09:57
L3	598	data AND volume AND proof AND accumulat\$ AND work AND ("726".clas. OR "713".clas. OR "380".clas. OR "705".clas.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 09:58
L4	321	threshold AND data AND volume AND proof AND accumulat\$ AND work AND ("726".clas. OR "713".clas. OR "380".clas. OR "705".clas.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 09:58
L5	21	threshold AND data AND volume AND proof AND accumulat\$ AND work AND ("726/2,3,4,16,17,21,22,23,26,27,30".cls.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:01
L6	116	threshold AND data AND accumulat\$ AND work AND ("726/2,3,4,16,17,21,22,23,26,27,30".cls.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:01
L7	116	threshold AND accumulat\$ AND work AND ("726/2,3,4,16,17,21,22,23,26,27,30".cls.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:04
L8	0	threshold AND (accumulat\$ WITH work) AND ("726/2,3,4,16,17,21,22,23,26,27,30".cls.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:04

EAST Search History

L9	7	threshold AND (accumulat\$ SAME work) AND ("726/2,3,4,16,17,21,22,23,26,27,30". cols.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:04
L10	4	threshold AND accumulat\$ AND proof WITH work AND ("726/2,3,4,16,17,21,22, 23,26,27,30".cols.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:06
L11	0	threshold AND accumulat\$ AND work AND puzzle AND ("726/2,3,4,16,17,21,22,23,26, 27,30".cols.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:10
L12	66	threshold AND computational AND effort AND ("726/2,3,4,16,17,21,22,23,26,27,30". cols.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:22
L13	5	hashcash AND threshold AND (DOS OR DDOS OR denial of service) AND ("726/2,3, 4,16,17,21,22,23,26,27,30".cols.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:33
L14	5	(cumulat\$3 OR accumulat\$3) AND hashcash AND threshold AND (DOS OR DDOS OR denial of service) AND ("726/2,3, 4,16,17,21,22,23,26,27,30".cols.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:34
L15	23	(cumulat\$3 OR accumulat\$3) AND (hashcash OR puzzle OR diffie\$ OR proof of work) AND threshold AND (DOS OR DDOS OR denial of service) AND ("726/2,3,4,16, 17,21,22,23,26,27,30".cols.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:38
L16	23	(cumulat\$3 OR accumulat\$3) AND (hashcash OR puzzle OR diffie\$ OR proof of work OR computational effort OR computational work) AND threshold AND (DOS OR DDOS OR denial of service) AND ("726/2,3,4,16,17,21,22,23,26,27,30".cols.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:39

EAST Search History

L17	26	(hashcash OR puzzle OR diffies\$ OR proof of work OR computational effort OR computational work) AND threshold AND (DOS OR DDOS OR denial of service) AND ("726/2,3,4,16,17,21,22,23,26,27,30".ccls.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414")	US_PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:39
L18	48	solution AND verification AND threshold AND (DOS OR DDOS OR denial of service) AND ("726/2,3,4,16,17,21,22,23,26,27,30".ccls.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US_PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/08 10:40
S1	691	726/22.ccls. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US_PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:39
S2	0	proof of work AND 726/22.ccls. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US_PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:14
S3	32	proof AND work AND 726/22.ccls. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US_PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:14
S4	4	(DOS OR denial of service) AND network AND proof AND work AND 726/22.ccls. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US_PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:20
S5	4	(DDOS OR DOS OR denial of service) AND network AND proof AND work AND 726/22.ccls. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US_PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:15
S6	59	threshold AND (DDOS OR DOS OR denial of service) AND network AND 726/22.ccls. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US_PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:21

EAST Search History

S7	5	proof AND threshold AND (DDOS OR DOS OR denial of service) AND network AND 726/22.cols. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:22
S8	30	intrusion AND threshold AND (DDOS OR DOS OR denial of service) AND network AND 726/22.cols. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:24
S9	30	(work OR process\$3 OR operat\$4 OR calculat\$4 OR crunch\$3) AND intrusion AND threshold AND (DDOS OR DOS OR denial of service) AND network AND 726/22.cols. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:25
S10	0	computational work AND intrusion AND threshold AND (DDOS OR DOS OR denial of service) AND network AND 726/22.cols. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:26
S11	0	(computational WITH work) AND intrusion AND threshold AND (DDOS OR DOS OR denial of service) AND network AND 726/22.cols. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:26
S12	0	(computational NEAR work) AND intrusion AND threshold AND (DDOS OR DOS OR denial of service) AND network AND 726/22.cols. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:26
S13	0	(computational SAME work) AND intrusion AND threshold AND (DDOS OR DOS OR denial of service) AND network AND 726/22.cols. AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:26
S16	0	(computational task OR computational work OR computational interrogation OR client puzzle OR computation task OR computation work) AND denial of service AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20040414" or @ad<"20040414" or @prad<"20040414" or @rlad<"20040414")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:41

EAST Search History

S17	18	(computational task OR computational work OR computational interrogation OR client puzzle OR computation task OR computation work) AND (DDOS OR DOS OR denial of service) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd< "20040414" or @ad< "20040414" or @prad< "20040414" or @riad< "20040414")	US_PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:42
S18	4	"6944663".pn. OR "7197639".pn.	US_PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 17:24